

# Specification



Model	XT-3215	XT-3215IR
Processor	Intel Pineview dual core D525 CPU, 1.8GHz, 1M Cache	
System Memory	DDR3 800MHz, SO-DIMM x 1, max. 4GB, factory default 2GB	
Storage Device	SATA storage x 2, factory default 320GB HDD x 1	
Power Supply	12V DC power adaptor, 60W (Optional 80W when equipping with 2nd LCD display LM-3014 & LM-3015)	
OS Support	Windows Embedded 8.1 Industry / Windows 7 / POSReady 7 / Windows XP Pro / POSReady 2009 / Linux per request	
<b>Display</b>		
LCD Display	15" TFT LCD, 1024 x 768 resolution	
Touch Function	Resistive touch	IR Touch
Brightness adjustment	By digital push button	
<b>Connectivity</b>		
LAN Port	10 / 100 / 1000Mb x 2	
Serial Port	DB9 x 3 + RJ45 x 1 with 5V/12V support on COM1 / COM2 / COM3 / COM4, RJ-45 to DB9 cable optional	
Parallel Port	1, via optional conversion cable	
UPS Port	Yes	
Standard USB Port	5	
Powered USB Port	Optional 24V x 1 and 12V x 2 via 8th generation base	
Audio	Internal 2W speaker	
VGA Port	D-SUB, 15 pins, with 12V support for Posiflex monitor	
Mini-PCIe slot	Yes, for half size card	
CR Port	1, control 2 CR	
<b>Physical Dimension</b>		
Dimension (W x D x H in mm)	372 x 320 x 252.7	
Weight (N.W. in Kg)	5.6	
<b>Environment</b>		
Operation Condition	0°C - 40°C, 20%RH - 90%RH (Equipped with HDD) ; 0°C - 50°C, 20%RH - 90%RH (Equipped with SSD)	
Storage Condition	(-20°C) - 70°C, 10%RH - 90%RH	
<b>Options</b>		
SSD	8GB minimum	
SA-105	Side Attachment for XT Series with 3 track MSR	
SA-205	Side Attachment for XT Series with iButton	
SA-305	Side Attachment for XT Series with support for 3 track MSR, RFID and Finger Print Sensor	
LM-3010	9.7" 1024 x 768 rear-mount 2nd display for JIVA XT Series (VGA interface)	
LM-3014	14" 1366 x 768 rear-mount wide screen 2nd display for JIVA XT Series (VGA interface)	
LM-3015	15" 1024 x 768 rear-mount 2nd display for JIVA XT Series (VGA interface)	
TM-3010	9.7" 1024 x 768 rear-mount resistive touch display for JIVA XT Series (VGA interface)	
TM-3014	14" 1366 x 768 rear-mount resistive touch display for JIVA XT Series (VGA interface)	
TM-3015	15" 1024 x 768 rear-mount resistive touch display for JIVA XT Series (VGA interface)	
LM-6607	7" 800 x 480 rear-mount 2nd display for XT series (USB interface)	
PD-2608UE	2 x 20 VFD, rear-mount, USB with Virtual COM support	
PD-350UE	2 x 20 LCD, rear-mount, USB with Virtual COM support	
PD-6607	7" color LCD graphical line display, rear-mount (USB interface)	
WIFI	Internal mini-PCIe WIFI module with PIFA Antenna	
Certifications		

# JIVA XT-3215 / XT-3215IR

Flexible! Powerful! Elegant!



Design and Manufacturing In Taiwan by Posiflex Technology Inc.  
The product information and specifications are subject to change without prior notice.

2014Q1C1



**Posiflex Technology Inc. (Headquarters)**  
**TEL** +886-2-2299-1599 **FAX** +886-2-2299-1819  
**MAIL** sales@posiflex.com.tw **WEB** www.posiflex.com  
 No. 6, Wuquan Rd., Wugu Dist., New Taipei City 24886, Taiwan

Authorized Distributor / Reseller

SINCE 1984  
 WWW.POSIFLEX.COM

# JIVA XT-3215 / XT-3215IR

Flexible! Powerful! Elegant!



In today's retail and hospitality market, POS terminal is no longer just a cold and hard business tool. It is a part of the store decoration, a part of the store image. Each curve and detail of the POS terminal should add something to the overall mood of the store, to lift the shopping experience of the customers.

With beautifully sculptured slim body, sexily curved base stand, JIVA XT-3215 / XT-3215IR looks right at home at any elegantly decorated store. And more than just good looks, JIVA XT Series also offers ample of performance and flexibility to satisfy the most demanding of daily POS operations

### Flexibility

JIVA XT-3215 / XT-3215IR comes with the selection of two newly designed foldable bases, the curvy slim 7th Generation Base and the larger but practical 8th Generation Base. The new foldable base allows JIVA XT-3215 / XT-3215IR to be configured into different configurations. "Flat Folded Mode" to save the shipping package volume. "Low Profile Mode" to allow greater interaction between cashier and the customers; and the traditional "Full Extended Mode". All this can be achieved with a simple pull of the hidden lever. This one terminal/multi-configurations concept provides unmatched flexibility to store owners and system integrators alike.



Full Extended Mode



Low Profile Mode



Flat Folded Mode

### Looks

JIVA XT-3215 / XT-3215IR comes from new Posiflex design language. Slimmer and sexier than ever, it is a sharp departure from the traditionally more conservative Posiflex terminal design. Every curves and details are carefully thought out to make JIVA XT-3215 / XT-3215IR one of the most visually desirable terminals in the market.



With 2nd display LCD



### Dual LAN

JIVA XT-3215 / XT-3215IR provides dual LAN ports that allow a dedicated LAN connection for credit card terminal.



### 8th Generation Base

Optional 8th Generation Base that integrates internal power adaptor and Powered USB port into the base stand, which allows for clutter free counter.